SAFETY DATA SHEET



L79 LAUNDRY STAIN REMOVER

ACCENT HYGIENE SYSTEMS

Catalogue number: AC862

Version No: 2.2

Safety Data Sheet according to WHS and ADG requirements

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	L79 LAUNDRY STAIN REMOVER
Synonyms	AC862
Proper shipping name	Not applicable
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Powdered chlorine laundry bleach

Details of the supplier of the safety data sheet

Registered company name	VERIDIA Australia
Address	PO Box 7970 BAULKHAM HILLS BC NSW 2153
Telephone	1300 228 222
Website	www.veridia.com.au
Email	sales@veridia.com.au

Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 11 26
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

 ${\sf HAZARDOUS\ CHEMICAL.\ NON-DANGEROUS\ GOODS.\ According\ to\ the\ WHS\ Regulations\ and\ the\ ADG\ Code.}$

Poisons Schedule	5
GHS Classification ^[1]	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2A, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation),.
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HSIS; 3. Classification drawn from EC Directive 1272/2008 - Annex VI

Label elements

GHS label elements



SIGNAL WORD | WARNING

Hazard statement(s)

H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H302	Harmful if swallowed

L79 LAUNDRY STAIN REMOVER Product Code: AC862

Version No: 2.2 Print Date: 11/05/2019

Issue Date: 11/05/2019

Precautionary statement(s) Prevention

P261	Avoid breathing dust
P210	Keep away from heat / sparks / open flames / hot surfaces No smoking
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves / protective clothing / eye protection / face protection.
P220	Keep / Store away from clothing / organic material / combustible materials.
P273	Avoid release to the environment
P264	Wash hands and contaminated body after handling
P234	Keep only in original container.

Precautionary statement(s) Response

IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell	
IF ON SKIN: Wash with plenty of water and soap. Take off contaminated clothing and wash before reuse. If skin irritation occurs, get medical advice / attention.	
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice / attention.	
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.	
Wash contaminated clothing before reuse.	
In case of fire: Use water jets for extinction.	
Precautionary statement(s) Storage	
Store locked up, in a well-ventilated place. Keep container tightly closed.	

Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
14762-51-7	30-60%	sodium chloride
497-19-8	10-<30%	sodium carbonate
7758-29-4	!0-<30%	sodium tripolyphosphate
51580-86-0	<10%	sodium dichloroisocyanurate dihydrate

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Wash out immediately with fresh running water for 10-15 minutes. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	If fumes, aerosols or combustion products are inhaled remove from contaminated area Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay.
Ingestion	Rinse mouth out with water. Give a glass of water. Do NOT induce vomiting. If vomiting occurs give further water. Seek medical advice / attention.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Product Code: AC862 L79 LAUNDRY STAIN REMOVER

Version No: 2.2 Print Date: 11/05/2019

Issue Date: 11/05/2019

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

Use flooding quantity of water DO NOT use dry chemical, CO2, foam or halogenated-type extinguishers.

Special hazards arising from the substrate or mixture May evolve toxic fumes if involved in a fire.

Advice for firefighters

Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use firefighting procedures suitable for surrounding area. Do not approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	Will not burn but increases intensity of fire. Heating may cause expansion or decomposition leading to violent rupture of containers. Heat affected containers remain hazardous. Decomposes on heating and produces toxic fumes of: carbon monoxide (CO), carbon dioxide (CO2), phosphorus oxides (POx) and other pyrolysis products typical of burning organic material May emit corrosive fumes.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

	Environmental hazard - contain spillage.
	Check regularly for spills and leaks.
	Clean up all spills immediately.
Minor Spills	Avoid contact with skin and eyes.
	Control personal contact with the substance, by using protective equipment.
	Use dry clean up procedures and avoid generating dust.
	Place in a suitable, labelled container for waste disposal.
	Environmental hazard - contain spillage.
	Wear full body protective clothing with breathing apparatus.
	Prevent, by any means available, spillage from entering drains or water course.
Major Spills	Stop leak if safe to do so.
	Collect recoverable product into labelled containers for recycling.
	Neutralise/decontaminate residue (see Section 13 for specific agent).
	Collect solid residues and seal in labelled drums for disposal

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precaution	for	safe	hand	dlina

	-
	Avoid personal contact and inhalation of dust, mist or vapours.
	Provide adequate ventilation.
	Always wear protective equipment and wash off any spillage from clothing.
Safe handling	Keep material away from light, heat, flammables or combustibles.
	Keep cool, dry and away from incompatible materials.
	Avoid physical damage to containers.
	Avoid using solutions of peroxides in volatile solvents.
	When handling, DO NOT eat, drink or smoke.
	Keep containers securely sealed when not in use.
Other information	Store in original containers. Store under cover and away from sunlight. Store away from flammable or combustible materials, debris and waste. Contact may cause fire or violent reaction. Store away from incompatible materials and foodstuff containers.
	DO NOT stack on wooden floors or pallets. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container	DO NOT repack. Use containers supplied by manufacturer only.
Storage incompatibility	Contact with acids produces toxic fumes Avoid oxidising agents

Product Code: AC862 L79 LAUNDRY STAIN REMOVER

Version No: **2.2** Issue Date: **11/05/2019**Print Date: **11/05/2019**

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

No data available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
sodium chloride	Sodium chloride	11 mg/m3	120 mg/m3	1100 mg/m3
sodium carbonate	Sodium carbonate	12 mg/m3	130 mg/m3	780 mg/m3
sodium tripolyphosphate	Sodium tripolyphosphate	0.22 mg/m3	2.5 mg/m3	620 mg/m3

Ingredient	Original IDLH	Revised IDLH
sodium chloride	Not Available	Not Available
sodium carbonate	Not Available	Not Available
30didili carbonate	Not Available	NOT AVAILABLE
sodium tripolyphosphate	Not Available	Not Available
sodium dichloroisocyanurate dihydrate	Not Available	Not Available

Exposure controls

Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
Personal protection	
Eye and face protection	Safety glasses with side shields OR Chemical goggles. Chemical goggles, whenever there is a danger of the material coming in contact with the eyes. Goggles must be properly fitted. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation. Lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	Elbow length natural rubber or nitrile gloves.
Body protection	See Other protection below
Other protection	Barrier cream. Skin cleansing cream. Eye wash unit.
Thermal hazards	Not Available

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	White powder		
Physical state	Divided Solid Powder	Relative density (Water = 1)	Not Applicable
Odour	Chlorine	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	10.5 (1%)	Decomposition temperature	Not Applicable
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Applicable	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit(%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Not available	pH as a solution (1%)	10.5
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

Product Code: AC862 L79 LAUNDRY STAIN REMOVER

Issue Date: 11/05/2019 Version No: 2.2 Print Date: 11/05/2019

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. Chlorine vapour is extremely irritating to the airways and lungs, causing coughing, choking, breathing difficulty, chest pain, headache,
Ingestion	Oral intake of dichloroisocyanurate is corrosive to the mouth, gullet and internal organs, depending on the concentration and may result in weakness, lethargy, tremors, salivation, excessive secretion of tears and possible coma. Its toxicity seems to be mainly related to the corrosive effect on the stomach lining. Severity
Skin Contact	This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	This material can cause eye irritation and damage in some persons.
Chronic	Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems.

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Not considered to be ecotoxic

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
sodium chloride	LOW	LOW
sodium carbonate	LOW	LOW

Bio accumulative potential

Ingredient	Bioaccumulation
sodium chloride	LOW (LogKOW = 0.5392)
sodium carbonate	LOW (LogKOW = -0.4605)

Mobility in soil

Ingredient	Mobility
sodium chloride	LOW (KOC = 14.3)
sodium carbonate	HIGH (KOC = 1)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	1W

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS)

L79 LAUNDRY STAIN REMOVER Product Code: AC862

Version No: 2.2 Print Date: 11/05/2019

Issue Date: 11/05/2019

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

SODIUM CHLORIDE (7647-14-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

SODIUM TRIPOLYPHOSPHATE (7758-29-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

SODIUM CARBONATE (497-19-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

Australia Hazardous Substances Information System - Consolidated Lists

SODIUM DICHLOROISOCYANURATE DIHYDRATE (51580-86-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

Australia Hazardous Substances Information System - Consolidated Lists

SECTION 16 OTHER INFORMATION

Contact Point: Poisons Information Centre Tel 13 11 26

DISCLAIMER:

All information appearing herein is based upon data obtained from raw material manufacturers and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of VERIDIA Australia and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes

End of SDS